

Medication Safety Questionnaire

Patient name or MRN:
Patient gave verbal consent for their de-identified information to be shared with NDSU for research purposes.
How does the patient typically store his or her medications?
Medication is stored in locked box
Medication is stored in <u>safe</u> designated area
Medication is stored in <u>unsafe</u> designated area
Medication storage not designated
*Provide education about medication storage
How does the patient typically dispose of unused or expired medications?
Not applicable/no meds to dispose of
Medication not discarded
Medication discarded in trash/flushed
Other potentially unsafe method
Medication disposal with approved measures:
Pharmacy MedSafe
Local public health unit
Police station
Kitty litter, coffee grounds, or other
Medication disposal product (Deterra, DisposeRx, etc.) Other:
*Provide education about medication disposal
Does the patient forget to take medications?
Never
Occasionally
Frequently
*Provide education about medication adherence
Has the patient used someone else's or given their medications to someone else before (diversion)
Patient has diverted a prescription medication at least 1 time
Patient has been approached with request to divert their medication at least 1 time
Patient has taken a diverted medication at least 1 time No /Not applicable
*Provide education about avoidance of medication diversion
Does the patient take medication(s) for pain or opioid use disorder?
No, not taking medication for pain or opioid use disorder
Yes, taking medication for pain
Taking a non-opioid for pain (Celebrex, NSAID, etc.)
Taking an opioid for pain (oxycodone, hydrocodone, morphine, etc.)

Please complete the opioid risk screening questionnaire on the next page for all patients.

	Yes	F	M	
Family history of substance abuse				
Alcohol		1	3	
Illegal drugs		2	3	
Prescription medication misuse		4	4	
Personal history of substance abuse				
Alcohol		3	3	
Illegal drugs		4	4	
Prescription medication misuse		5	5	
Age between 16 - 45 years			1	
History of preadolescent sexual abuse 3				
Psvchological disease				
Examples: attention deficit disorder (ADD), obsessive compulsive disorder (OCD), bipolar disorder, schizophrenia		2	2	
Depression 1				

Total Score:

Low risk: 0 - 3Moderate risk: 4 - 7**High risk: ≥ 8 **

Medical history: Circle all those which apply to the patient.

COPD/emphysema sleep apnea liver disease kidney disease

While using this medication is there a chance the patient may consume any of the following?

YES NO Medication used to treat anxiety called a benzodiazepine

Examples: Xanax[®] (alprazolam), Ativan[®] (lorazepam), Valium[®] (diazepam) Klonopin[®] (clonazepam)

YES NO Medication used to treat nerve pain

Examples: Neurontin® (gabapentin), Lyrica® (pregabalin)

YES NO Medication known as a muscle relaxer

Examples: Flexeril® (cyclobenzaprine), Skelaxin® (metaxalone), Soma® (carisoprodol)

YES NO Medication used to aid in sleep (prescription or over the counter)

YES NO Alcohol

YES NO Are you currently taking other opioid medications? Examples: fentanyl (Blue 30, others), Oxycontin® (oxycodone), Vicodin® (hydrocodone), morphine, heroin

- YES NO Have you previously been or are you currently in treatment for opioid use disorder?
- YES NO Have you previously been or are you currently prescribed a medication for opioid use disorder? Examples: Suboxone, methadone

IF YES: Would you be interested in continuing it while incarcerated, if available? YES/NO

IF NO: Would you be interested in starting to take a medication for opioid use disorder while incarcerated if it were available and prescribed for you? YES/NO



Outcomes Worksheet

Education:		
Yes	No	Education about medication storage was provided
Yes	No	Education about medication disposal was provided
Yes	No	Education about medication adherence was provided
Yes	No	Education about medication diversion was provided to the patient
Intervent	ions:	
Yes	No	ACCIDENTAL OVERDOSE RISK ASSESSMENT Today, the patient was identified as at risk for accidental overdose based on current disease states or current medications
Yes	No	OPIOID MISUSE RISK ASSESSMENT Today, the patient was identified at high risk for future opioid misuse (ORT ≥8) If yes, the risk of opioid misuse was discussed with the patient\
Yes	No	Patient was provided a medication disposal device (i.e. Deterra, DisposeRx)
Yes	No	Patient was provided a pill organizer to assist with medication adherence
Yes	No	Naloxone was provided to the patient
Yes	No	1 in 4 brochure was provided for this patient
Yes	No	A medication lock box was provided for this patient